



E LED 1500 A.  
 L , 5 / .  
 H .  
 E .

R : A I G P R S  
 G : G I N G L L  
 B : G N B E  
 : G N

P N .	-4566RGB	150FC120-N	ENG-02	S N .	KF-BE0424	P	1 9
-------	----------	------------	--------	-------	-----------	---	-----





F C	IF	R	1.8
		G	1.8
		B	2.4
			2.4
R	R	N	
P D	P <sub>D</sub>	R	41.4
		G	41.4
		B	52.8
			52.8
J		R	115
		G	150
		B	150
			150
E D (ESD)	ESD	2000	
S		-40 70	
O		-40 100	

1.S  
 2.  
 3.P ESD:  
 S A IC SHIELD E LED. I  
 - LED. A ,

P N .	-4566RGB 150FC120-N	ENG-02	S N .	KF-BE0424	P	3 9
-------	---------------------	--------	-------	-----------	---	-----



				R	G	B	
L	F			870	1000	1200	
				1650	1800	1950	
				320	360	400	
				2250	2450	2600	
D				620	625	630	
				518	523	528	
				450	453	460	
C	C	CC		5500	6500	7500	K
P	-		I=1500 A	630	635	640	
				512	517	522	
				445	448	455	
S	L	H	-	15	20	25	
				30	35	40	
				20	25	30	
				20	25	30	
				21	23	25	
F				21	23	25	
				20	22	24	
				20	22	24	
R	C		I <sub>R</sub>				A
A	50	I	= 2 1/2				

1.L CIE



2. 1/2


3. ( ) CIE



4.L : 15%.



5.F : 0.15 .

(25 A O N )


F C S.F







P N .	-4566RGB	150FC120-N	ENG-02	S N .	KF-BE0424	P	7 9
-------	----------	------------	--------	-------	-----------	---	-----



1.2 1/2  
2.

5.

1/2



