

# TX-5353SW360C35F17-10H952770

## PRODUCT SPECIFICATION

**Features:**


**Chip Material:**

**Emitting Color:**

**Applications:**

--	--	--	--	--	--

Package Dimensions:





--	--	--	--	--

# Absolute Maximum Ratings

Parameter	Symbol	Ratings	Unit
	5		
H			
① P <sub>tot</sub> (T <sub>amb</sub> )	① P <sub>tot</sub> (T <sub>amb</sub> )	① P <sub>tot</sub> (T <sub>amb</sub> )	① P <sub>tot</sub> (T <sub>amb</sub> )
② P <sub>tot</sub> (T <sub>case</sub> )	② P <sub>tot</sub> (T <sub>case</sub> )	② P <sub>tot</sub> (T <sub>case</sub> )	② P <sub>tot</sub> (T <sub>case</sub> )
③ P <sub>tot</sub> (T <sub>case</sub> )	③ P <sub>tot</sub> (T <sub>case</sub> )	③ P <sub>tot</sub> (T <sub>case</sub> )	③ P <sub>tot</sub> (T <sub>case</sub> )
④ P <sub>tot</sub> (T <sub>case</sub> )	④ P <sub>tot</sub> (T <sub>case</sub> )	④ P <sub>tot</sub> (T <sub>case</sub> )	④ P <sub>tot</sub> (T <sub>case</sub> )



# Typical Electrical/Optical Characteristics Curves




--	--	--	--	--	--





--	--	--	--	--	--



— (Blue line)  
— (Black line)




--	--	--	--	--	--



# Dimensions For Cannulation And Packaging

Quantity:6 PCS



--	--	--	--	--	--